

# **Report on Maternal and Child Health Services based on National Family Health Survey indicators**

## **Introduction**

Households were visited by trained field workers (surveyors) who conducted a survey on maternal and child health services. These services were also measured under NHFS-5 survey. A random sample of villages was chosen from eight Sub Health Centres. 14 services indicators from maternal health and four from child health were taken. Women who had given birth within the previous six months were included for ANC-related measures, and children under the age of three years were included for child health.

The survey covered 27 blocks across eight districts in Chhattisgarh (Janjgir-champa, Kondagaon, Rajnandgaon, Raipur, Sarguja, Narayanpur, Dantewada, and Surajpur). These districts were selected from every division of the state, and data was collected using Kobo Collect/ODK from month September to November 2022. The finding of the survey indicates the current status of maternal and child health services in Chhattisgarh also compare with NFHS-5 and the different month's results.

**Table: Services related to maternal and child health**

Sr. No.	Indicators	September, October, November	In % August	In % July	In % June	In % May	In % April	NFHS-5 (2020-21)
<b>Maternal Health</b>		<b>N= 746</b>	<b>N=394</b>	<b>N=566</b>	<b>N=536</b>	<b>546</b>	<b>N=445</b>	<b>Total Rural</b>
1	Mothers who had an antenatal check-up in the first trimester	86.4	71	69.6	70.5	68.5	68.4	64.1
2	Mothers who had at least 4 antenatal care visits	76.8	79.1	80	74.4	63.3	69.9	59.6
3	Mothers who consumed iron folic acid for 100 days or more when they were pregnant	55.1	49.4	50.3	43.1	39..3	39.3	45.9
4	Registered pregnancies for which the mother received Mother and Child Protection (MCP) card	89.8	91.3	87.1	87.6	85.7	87.8	97.2
5	Children breastfed within one hour of birth	72.3	68.2	72.4	80.7	84.4	86.3	32.8
6	Institutional births	92	93.9	91.5	91.6	92.1	90.1	83.9
7	Institutional births in public facility	75.7	74.3	71.7	68.2	72.7	71.2	72.7
8	Births delivered by caesarean section	15.4	17.7	16.9	17.3	14.6	13.4	11.3
9	Births delivered by normal delivery	84.5	82.2	83	82.6	85.3	86.5	-
10	Births in a private health facility delivered by caesarean section (N=115)	52.2	55.8	54.4	52.8	53.7	48.8	54.5
11	Births in a public health facility delivered by caesarean section (N=566)	9.7	8.4	7.4	7.8	5.8	5.9	7.1
12	Blood sugar measured during pregnancy	96.5	96.1	94.3	94.2	93.5	88.5	-

13	Urine Sugar measured during pregnancy	88.7	90.6	82.8	81.1	84.4	89.6	-
14	BP measured during pregnancy	97.7	98.9	98.2	97	96.5	97	-
	<b>Child Health</b>	<b>N=3521</b>	<b>N=1232</b>	<b>N=1569</b>	<b>N=1340</b>	<b>N=1506</b>	<b>N=1035</b>	
15	Prevalence of diarrhoea (reported) in the last 2 weeks preceding the survey	3.0	5.1	4.6	5.6	6.9	7.5	3.6
16	Children with diarrhoea in the last 2 weeks who received oral rehydration salts sachet (ORS) (n=107)	47.6	55.5	40.6	50	56.1	56.4	67.3
17	Prevalence of symptoms of cold/cough in the last 2 weeks	22.3	21.5	21.1	20.6	21.3	21.4	-
18	Children with fever in the last 2 weeks	12.2	12.5	12.5	11.5	11.4	12.2	-

